

PCT/IL 2004 / 00084 1
15 NOV 2004

PA 1241829

THE UNITED STATES OF AMERICA

TO ALL TO WHOM THESE PRESENTS SHALL COME:

UNITED STATES DEPARTMENT OF COMMERCE

United States Patent and Trademark Office

November 01, 2004

THIS IS TO CERTIFY THAT ANNEXED HERETO IS A TRUE COPY FROM THE RECORDS OF THE UNITED STATES PATENT AND TRADEMARK OFFICE OF THOSE PAPERS OF THE BELOW IDENTIFIED PATENT APPLICATION THAT MET THE REQUIREMENTS TO BE GRANTED A FILING DATE UNDER 35 USC 111.

APPLICATION NUMBER: 60/502,939

FILING DATE: September 16, 2003

**By Authority of the
COMMISSIONER OF PATENTS AND TRADEMARKS**



N. Williams
N. WILLIAMS
Certifying Officer

BEST AVAILABLE COPY

16698 U.S. PTO

PTO/SB/16 (10-01)

Approved for use through 10/31/2002/ OMB 085-0032

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

PROVISIONAL APPLICATION FOR PATENT COVER SHEET

This is a request for filing a PROVISIONAL APPLICATION FOR PATENT under 37 CFR 1.53(c).

Express Mail Label No.

03917 U.S. PTO
60/502939
09/16/03

INVENTOR (S)					
Given Name (first and middle (if any))		Family Name or Surname		Residence (City and either State or Foreign Country)	
YAKIR		TEREBILO		21 Haeshel st. Kiryat Ata 28236 ISRAEL	
<input type="checkbox"/> Additional inventors are being named on the _____ separately numbered sheets attached hereto					
TITLE OF THE INVENTION (500 characters max)					
Massive Role-playing Games or Other Multiplayer Games System and Method Using Cellular Phone or Device					
Direct all correspondence to: CORRESPONDENCE ADDRESS					
<input type="checkbox"/> Customer number		<input type="text"/>		<input type="checkbox"/> Place Customer Number Bar Code Label here	
OR					
<input checked="" type="checkbox"/> Firm or Individual Name		Appelfeld - Zer Law Office			
Address		29 Llinblum st.			
Address					
City		Tel-Aviv		State	ZIP 65133
Country		Israel		Telephone + 972 3 516 3962	Fax +972 3 516 2927
ENCLOSED APPLICATION PARTS (check all that apply)					
<input checked="" type="checkbox"/>	Specification	Number of Pages	22	<input type="checkbox"/>	CD(S), Number
<input checked="" type="checkbox"/>	Drawing(s)	Number of sheets	5	<input type="checkbox"/>	Other (specify)
<input type="checkbox"/>	Application Data Sheet. See 37 CFR 1.76				
METHOD OF PAYMENT OF FILING FEES FOR THIS PROVISIONAL APPLICATION FOR PATENT					
<input checked="" type="checkbox"/>	Applicant claims small entity status. See 37 CFR 1.27.				FILING FEE AMOUNT(\$)
<input type="checkbox"/>	A check or money order is enclosed to cover the filing fees				\$80
<input type="checkbox"/>	The Commissioner is hereby authorized to charge filing fees or credit any payment to Deposit Account Number: <input type="text"/>				
<input checked="" type="checkbox"/>	Payment by credit card. Form PTO-2038 is attached.				
The invention was made by an agency of the United States Government or under a contract with an agency of the United States Government.					
<input type="checkbox"/>	No.				
<input type="checkbox"/>	Yes, the name of the U.S. Government agency and the Government contract number are: _____				

Respectfully submitted,

SIGNATURE Yakir Terebilo

TYPED or PRINTED NAME YAKIR TEREBILO

TELEPHONE +972 3 516 3962

Date 09/15/03

REGISTRATION NO.
(if appropriate)
Docket Number:

USE ONLY FOR FILING A PROVISIONAL APPLICATION FOR PATENT

This collection of information is required by 37 CFR 1.51. The information is used by the public to file (and by the PTO to process) a Provisional application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 8 hours to complete, including gathering, preparing, and submitting the complete provisional application to the PTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, Washington, D.C. 20231. DO NOT SEND FEES OR COMPLETE FORMS TO THIS ADDRESS. SEND TO: Box Provisional Application, Assistant Commissioner for Patents, Washington, D.C. 20231.

Massive role-playing games or other multiplayer games system and method using cellular phone or device

Abstract

A massive multiplayer role-playing game system utilizing mobile devices such as cellular phones is disclosed. The present invention links massive amounts of players, each holding at least one mobile phone or PDA device, via a cellular or wireless network. Each mobile device must include a transceiver which allows establishing a bi-directional connection with a cellular/wireless network. The system provides the user with the game data in a client-server method or in a streaming/buffering mode of operation. Most of the game data is stored on the game servers, and only the minimal amount of data is temporarily stored on the device's memory. High-speed network connections allow operating the game in real time. The system may utilize a second transceiver for providing short-haul connectivity (Infrared, Bluetooth or Wi-Fi, for example) connecting a plurality of players in a specific location, via devices with short-haul transceiver. The system may also compose a localizing server which can provides the position of each player or group of players, and integrate this information into the game. The user may play in a single mode or group mode and several groups can join together to make a larger group. A game may be downloaded onto the mobile phones or devices. The said phones or devices may also link a base station. The base station is then connected to the network, which links it to the game server.

BACKGROUND OF THE INVENTION

Field of the Invention

The present invention relates to the field of massive multiplayer wireless games, and more specifically to real time role-playing and other multiplayer games, utilizing mobile phones or PDA devices having cellular or wireless connectivity.

Description of Prior Art

The mobile communication world is one of the fastest growing technological fields today. With the feasible technological developments in this field it will probably maintain this position over then next decade. As developments in this field unfold, it is becoming evident that the mobile handsets – cellular phones and PDA devices – take a more essential part in everyday life. As technology progresses, the mobile phone becomes a useful tool for conducting personal and business communication, allowing the transference of text messages, audio and video information, as well as performing financial transactions. The most apparent trends in this field aims to consolidate all personal and business functions into a single mobile device.

Other evident developments are the rapid improvement in the network infrastructure, which will continue to offer better, faster and more reliable

communication capacities. In future, the wireless networks will be able to provide the same facilities given today by the land Internet networks. One of the fastest growing markets in this field is the area of network games. Unfortunately, today there are only three methods for offering game playing via mobile devices. The first are embedded games which are limited by the phone's memory abilities, (normally around 60k), and therefore have poor content, poor graphics and do not store the players' information, such as the users' name, their last completed stage, the players' high score and so on. The second method includes downloaded games, usually Java or Brew based. These games are dependent on the device's memory capabilities and therefore have the same limitation as the embedded games. The third method includes Bluetooth or Infrared networks games, such as the Nokia's Ngage product. These games require at least one user to be the master user, connecting to the wireless network and locally interconnecting the other players. This method is therefore inconvenient since the players are restricted to a limited to the geographic proximity of the master user, and it cannot support multiplier games of massive proportions. Another setback in this method is that the games must be purchased and installed on a game card inserted into the phone. The user's data is only available locally, and is not stored on a game server.

There is therefore a need for a game system method and apparatus that can provide a massive multiplayer game platform, using cellular phones or the mobile PDA devices which connect to a wireless network.

SUMMARY OF THE INVENTION

The present invention is a massive multiplayer or role-playing wireless game system using a mobile phone or mobile device. To overcome the limitations of prior art, as described above, the present invention links multiple mobile phone users provided with cellular transceiver for connecting to cellular network. The said mobile phone is linked to the game server via the cellular network. The user may also use the mobile phone to connect to other mobile device, a pc and or a stationary device (PS, XBOX) via a second short-haul transceiver. The mobile phone will have the game interface sent to it from the game server over the network.

Other embodiments of a system in accordance with the principles of the invention may include a game interface comprises a group selection interface for choosing a character, establishing a group or joining a group.

Another aspect of the present invention is that the short-range wireless transceivers comprise modules designed according to a Bluetooth specification.

Another aspect of the present invention is that the short-range wireless transceiver comprises infrared transceivers.

Another aspect of the present invention is that the short-range wireless transceiver comprises Wi-Fi transceivers.

Another aspect of the present invention is that the wire transceiver comprises USB/USB 2.0 transceivers.

Another aspect of the present invention is that the wire transceiver comprises FireWire transceivers.

Another aspect of the present invention is that the short-range wireless transceiver comprises universal asynchronous transceivers (UARTs) or a CE-BUS.

Another aspect of the present invention is that the transceivers enable a game to be downloaded to the mobile unit.

Another aspect of the present invention is that the system further includes a base station, a game server, a network interconnecting the base station and the game server.

Another aspect of the present invention is that the game server provides games over the network and base station to all mobile phones game units.

Another aspect of the present invention is that a game system includes a mobile phone having a transceiver for providing connections to a cellular network. This will enable a massive amount of players to play real time, online, wireless games in group or in single modes. It may use a second transceiver to provide short-haul connectivity, and a plurality of mobile phones interfacing with a plurality of players. Each of the game units having a third transceiver for providing short-haul connectivity, wherein it may be possible to link more at least two mobile phones by the second and third transceivers therein enabling games to be played by multiple players.

Another aspect of the present invention is that a mobile phone includes a keypad, a joystick or a touch screen for providing user input, a speaker and microphone for providing audio data, a display for providing visual information, a built-in camera for still photos, videos and sound, a transceiver for providing connections to a cellular network, a second transceiver for providing short-haul connectivity.

Another aspect of the present invention is that the system will integrate information into the game about the player's location through the cellular service provider or by a built-in GPS device. Another aspect of the present invention is that the user will have the ability to download credit points to confront obstacles.

Another aspect of the present invention is that the game will be in real time.

Another aspect of the present invention is that it will allow consulting with experts about a game or about a specific stage in the game.

Another aspect of the present invention is that it will integrate voice, chat, SMS, MMS Video and sound in the game.

Another aspect of the present invention is that it will allow multitasking: the game may be played while activating other phone applications.

These and various other advantages and features of novelty which characterize the invention are pointed out with particularity in the claims annexed hereto and form a part hereof. However, for a better understanding of the invention, its advantages, and the objects obtained by its use, reference

should be made to the drawings which form a further part hereof, and to accompanying descriptive matter, in which specific examples of an apparatus in accordance with the invention are described.

DESCRIPTION OF THE DRAWINGS

FIG. 1 is a schematic illustration of the system.

FIG. 2 is a schematic illustration of a possible embodiment for incorporating short haul connectivity in the system.

FIG. 3 is a block diagram of the system's preferred embodiment of the game servers' layout.

FIG. 4 is an illustration of an output display having eight slices.

FIG. 5 is an illustration of different input methods of the mobile device.

DETAILED DESCRIPTION OF THE INVENTION

In the following description of the embodiment, reference is made to the accompanying drawings which form a part hereof, and in which is shown by way of illustration the specific embodiment in which the invention may be practiced. It is to be understood that other embodiments may be utilized as structural changes may be made without departing from the scope of the present invention.

FIG. 1 portrays system 400 for multiplayer and massive multiplayer games. The system allows players take part in multiplayer games, using mobile device 401 that includes game controllers and a display terminal. The mobile devices 401 connect individually to a game server 480 over a wireless data network 450 and data transmission 460 network. The game server 480 processes the player's input data from the device's 401 controllers, generates game images and transmits them back to the player's device 401, via data networks 450, 460, which can then be viewed by the players. The mobile devices can also connect to stationary game machines, such as a PC's 410 or a game console 411 (PS or XBOX) through short range communication or via the networks 450, 460.

In order to transfer the player's input data to server 480, data connections are established through wireless network 450 between the devices 401 and the game server 480. The method of establishing the data connection between the server 480 and the device 401 depends on the type of technology of device 401, the wireless data network 450, the transmission network 460 and the server 480 implemented in the said system 400.

In a mobile handset embodiment, devices 401 may transmit dual-tone multi-frequency (DTMF) signals through a voice phone wireless network 450 and network 460 to a telephone network interface 481 in the game server 480. Players can control the game using the phone's numeric keypad, the phone's joystick or touch screen. In some embodiments, the game server 480 may also receive voice commands from the players by means of their telephone handsets 401. Other embodiments can include devices 401 that communicate by sending data over networks 450, 460. Interface between networks 450, 460 can then be a digital subscriber line which connects to a packet-based digital network 460, such as an Internet, Ethernet, Wi-Fi or wireless telephone digital data channel network. Another possible embodiment of the networks 450, 460 interface may be a packet adjuster such as iMode or FOMA networks.

Data derived from player by devices 401 is sent through the wireless network 450 to network 460, and then to a player data interface 481 on the game server 480. Different types of data interfaces 481 may be used, depending on the controllers of devices 401 and the wireless network 450 technology used in the system 400. FIG. 2 illustrates alternative methods of implementing short-haul communication 550 between devices. Such methods may include TCP connection, Bluetooth, infrared, USB/USB2.0, Firewire or Wi-Fi technologies.

In a packet-based network 450 embodiment, the data connection may be established using a network address for interface 481 in the data frame header sent from network 460. Since communication between the game interface 481 and the network 460 is based on the TCP protocol the system

may waive initiating a verification signal each time that a data packet arrives, since TCP protocol accounts for that. Having established a data connection, the input data of the player is associated with a game server 480 and is routed there by interface 481. It is possible to use multiple game servers 480 or a single one. In the multiple server embodiment, the servers 480a, 480b, 480c are working in parallel, so the users are not associated with any specific server. As described below, each game server 480 runs the game instructions and receives player input data from any of the participants of the particular game. This packet implementation can be modified to suit iMode, FOMA or any other methods of packet communication networks. If a server 480 offers multiple game types, players may select their desired game before the player's input data is associated with a particular game server 480. Game type selection may be controlled by a designated display on terminal 401. The display can indicate that a numeric code should be entered, or that a joystick or any other controller should be used to select a game type, as shown in FIG 5. The player's display 401 may indicate, for example, that a joystick should be moved up to play a war type game, left to play chess and right to play a role-playing game. In the case of a single game type server 480, selection of the game type is chosen by default. FIG.5 also illustrates an embodiment which includes the possibility of transmitting the game's display onto a larger display interface, such as a computer screen 701.

Once the type of game has been selected by the player or by default, the player will be assigned to a game server 480. As illustrated in FIG.3 the game server's system 480 is a system constructed of servers 482, 483, 484 which are linked to each other, where every server 482, 483, 484 may serve a

different purpose. A purpose of Server 482, 483, 484 may relate to locating the real-world position of a player, connecting to an email, SMS, a voice, a MMS or a video server. Some of the servers 482, 483, 484 may carry out functions such as billing, reporting, enabling chat utilities between different users or monitoring. Some servers 482 operate the kernel of the application, and connect to the 420 Data Base, as described in FIG 2.

Database 420 may contain records identifying players, their input data connection method, their game profile, scores, friends, the group they belong to, their credit and other types of information. The kernel server 482 then loads player's information when the player selects the game. Players may be required to be identified by system 480 login information, using a username and password, a received telephone number (e.g., via caller-ID functionality), a network address, a portal authentication or by any other network 450, 460 connection means of identification. Once the player was authenticated, the server 482 loads the information of the user's group, and lets him know which other group members are online and their specific location.

The user may also create a group of a single player. The system 400 allows merging different groups into a single group. The server 480 also notifies other group members in his group that the player has logged in, and can be located in a specific position. If the group's game is in progress, the user simply joins the game session. In a single mode, the player restores the game from the point he last stopped. Once online, the player he can communicate with other group members via SMS, voice, MMS, video, email, chat or any other means of communication supported by their devices 401. Both in

individual and in group modes, players are automatically assigned to tasks matching their skills according to prior stages of the game, and will be matched with opponents with similar skills. Having completed the given task, the user accumulates credit points which enable him to continue to more advanced tasks. Real-world entities at predefined location may interact with player (such as buying credit) and can affect the virtual game activities (such as gaining power) according to pre-defined rules. The user may also download credit points from the network.

A locating component on server 480, integrating cellular service provider positioning information, or a GPS component in device 401 may give the real-world position of the player. This may be integrated into the game by building virtual space over the real-world surroundings, wherein places in the real world have parallel location in the virtual space. If the user playing a problem solving game is located in a shopping center, for example, the system 400 may portray him as a detective, and the shopping center as a crime scene, and have the player collect evidence in these surroundings.

Having established the connection with the game servers 480, that player's input data is routed from the networks 450, 460 through a game server interface 481 to the relevant game servers 480. The game server interface 481 translates the player input data from the controllers 401 into a game server 480 compatible format by hardware or by software means. Formatting the player input data will depend on the game server 480 implementation. Each game server 480 may contain a separate software process executing on a single multi-tasking computer system. The game engines 482, 483, 484, for

example, may contain software processes executed on a server 480 running a Windows NT RTM, UNIX or Linux operating system. Game server interface 481 may be a software implemented application programming interfaces, which is compatible to a phone system technology, such as J2me, Brew, and Symbian.

Different areas of the generated video output display image may be associated with different players of a multiplayer game. FIG. 4 illustrates an example for an output display 600. The screen output image 600 can be divided into eight equal slices. Any change in the game that is sent from the server will be tagged with the relevant slice. The server sends only the changes in the display of the screen from the last act. The screen can be sent in a modified HTML, video, rendering graphics or other visual data formats and translated by the wireless device to a screen images. In a car game, the car moves from slice 602 to slice 603 .

Following is the description of the real time implementation. Since the network transfer rates are high, and they are improving rapidly, and since data traffic will be more reliable and there will be less lost of information in real time, this system can be embodied in real time voice technology. This is made possible by the fact that in advanced wireless networks every subscriber is always online and has his own channel in the network .The system 400 leverages these advantages. Working in full duplex with the wireless data network 450 and the data server 480, the phone 401 will receive and transmit game data and other data from and to the network 450 and game server. Implementing Artificial Intelligence (AI) technology into the game could create a real time

effect. This will allow the game to anticipate the user's next move. For example, if a player has two possible moves, and one of them is better than the other, the server could expect the user to choose the better option. This improves performance and would appear as real time response from the user's point of view. This method could be interwoven throughout the application. Some other implementation of AI may learn the user's profile of playing behavior and anticipate the next moves.

Since some functions are done repeatedly throughout the game and therefore it is useless to use the network for controlling such functions, the application may use the processing power of the local mobile device and send the results to the network. This will also enable real time.

The streaming/buffering method used by the system 400 may give performance, which is close to real time. The system may also use a compressed data method for better efficiency, a graphical accelerator and other chips within the mobile device for the same purpose.

When dividing the game into groups by the game interface every group may be allocated with a specific IP range (subnet). This creates a more networked efficient game and enables real time performance.

The game server may work in a listening-executing mode. Hence, whenever two players are engaged in a game, for example, as soon as one of the players sends a command, the server will identify this command and distribute it to the other player. The "first in and smallest packet" will be the first out.

Then, if both players send command at the same time, the one with the easier to execute command will be complete first.

Another method of implementation may be done via the game interface, by selecting a leader for example. In this method the leader is the group's representative.

The term "game" may encompass games or role-playing games and other forms of computer implemented recreational or professional application. Such implementation may include war or battle simulation, leadership testing games, educational application with questions as obstacles, learning about consumers response toward a product or service, simulating on site troubleshooting for field engineers or any other application which demands sending images to the device's 401 screen according to a predefined algorithm.

The term "player" may include any human or machine user that participates in the recreational or professional application program. As described herein, different digital sampling rates and digital sampling combined with compression technologies may also be used for transmission of analog or voice signals. The term "mobile network" includes both traditional wireless networks such as AMPS, GSM, CDMA, TDMA, 3G networks such as W-CDMA, CDMA-2000, TD-CDMA or other 3G implantation, and other cellular and wireless networks such as 4G and beyond. It may also include networks based on Wi-Fi or similar networks. Data and packet data networks include landline networks, the Internet, Wi-Fi, wireless data networks, digital traffic and signal channels used in cellular phone networks.

The present invention provides A game system, comprising: a mobile phone/device which is the game interface having a first transceiver providing connections to a cellular network and may have a second wireless transceiver for phone to phone short-range wireless communication (Bluetooth, Infrared, Wi-Fi) or phone to PC wired connection (USB).

The game system stores all user data on the game server database. The user data may contain such details as the player's, profile last achieved level, group, friends, score, last known location, user's game, chat rooms, preferences and playing habits. The database can also store scenes from the game and replay them on demand.

The game system may comprise wireless short range transceivers which include modules designed according to Bluetooth specification, infrared transceivers, universal asynchronous interface (UARTs or a CE-BUS), Wi-Fi specification.

The game system wherein for wired connection the USB/Firewire specification is used.

The game system transceivers can be enabled to down load the game onto a mobile unit.

The mobile phone/device (PDA) according to the present invention is comprised of:

A keypad and /or a joystick for providing user input; the system may use the multi key function. The system may provide the user with the ability to re-deploy the relevant keys at wish:

A speaker and microphone for providing audio data to a user and receiving data from the user;

A display screen for displaying information concerning the mobile phone and the application to a user, the screen may be a touch screen; the screen may utilize a technology of 3D imaging or the application may provide a 3D solution.

A first transceiver for providing connections to a cellular network;

A second wireless transceiver for bypassing the cellular network to provide wireless interactive gaming connectivity; and

A controller, coupling the keypad, speaker, microphone, display and first and second transceivers, for processing data.

A converter application such as Windows Media Player or Real Player that displays still, video and sound data (or a combination of the three) on the phone/mobile device.

It may use a built in camera (rotating) for capturing pictures or video for messaging or video calls -the system will integrate these in the game.

It may use an USB/Firewire connection in order to connect to a PC for downloading the game.

The phone may have a vibrating battery. If so, it will be integrated in the game for enhanced game experience.

The game method according to the present invention comprise the steps of:

Displaying a game on a plurality of game units;

Linking the plurality of game phones/devices to the cellular network using a transceiver; and

Sending game signals from the mobile device/ phone to a game server for processing.

The game system according to the present invention may allow players to talk on the phone while playing the game -Multi-access allows subscribers to communicate by voice while simultaneously using packet transmissions.

High network connection will enable the game to be real time. Therefore the game will not have to be a turn-based game and all players could play simultaneously. The system can also utilize a number of cannels like nx64kbps or higher.

The system may allow players to chat one with another, send SMS, MMS and Video messages and sound while playing and will integrate them as part of the game.

The system can use either streaming/buffering method or client –server method.

The system will allow users to be identified not only by a specific phone number as their subscription base, hence allowing the user to play from different devices.

The system will use a secure channel to ensure that the client's privacy will not be harmed.

The system may integrate an external location server with the application for uses such as: a) identifying enemies /friends/groups near the player. b) converting the reality into the game's reality, hence building screens of the virtual reality- (the application) according the locations in reality.

The system will allow downloading credit from the network, other players, stations (e.g.: shops) in order to confront game obstacles.

The system will enable to provide an online expert advice from experienced players of the system.

The system may treat the client's screen as divided into several equal smaller screens (e.g. six equal screens) mapped by coordinates and will send only the information that has changes to the relevant sub-screen.

Subject to global roaming agreements the client could use the service when visiting another network and subject to network agreements clients from different networks could compete on the same game.

In some implementations, the system will use the MIDP, technology, CLDC, XML, Java smart cards, or any technology that will enable socket connection from the phone.

In some implantations the systems will use a technology that will provide the mobile phone an IP address.

The system will create communities with common interests based on the game and/or the user's profile.

A number of embodiments of the present invention have been described. Nevertheless, it will be understood that various modifications may be made without departing from the spirit and scope of the invention. For example, when a data is sent from the server to the terminal it can be decoded by using a video audio decoder such as Windows Media Player or Real player or other decoders in real time or buffering/streaming mode. Accordingly, other embodiments are within the scope of the following claims. While the above description contains many specifications, these should not be construed as limitations on the scope of the invention, but rather as exemplifications of the preferred embodiments. Those skilled in the art will envision other possible variations that are within its scope. Accordingly, the scope of the invention should be determined not by the embodiment illustrated, but by the appended claims and their legal equivalents.

What is claimed is:

1. A network game system implemented over wireless data network, enabling real time simultaneous game sessions of multiple players, said system comprised of:

- At least one network server for managing and controlling games session, including the core game application wherein parallel sessions of the game are preformed simultaneously;
- At least two wireless devices having a first transceiver enabling wireless connection to the server.

2. The system of claim 1 wherein the wireless device further include a second transceiver enabling short range communication with other wireless devices.

3. The system of claim 2 further comprising game console devices communicating with the wireless devices or directly connected to the backbone network.

4. The system of claim 1 wherein the network servers include a players database which comprise profile data and history data of players activities.

5. The method of claim 1 wherein the network server (or the wireless device) further comprise location base module enabling to identify real location of each user wherein the virtual game location is changed in the relation to the real location.

21/22

6. The system of claim 2 further comprising real entities at predefined location wherein said entities interaction with player (such as buying credit) can affect the virtual game activities (such as gaining power) according to pre-defined rules.
7. The game system of claim 1 further comprising a base station, and a game server, wherein the cellular network interconnects the base station and the game server, and wherein the mobile phone communicates with the game server via the base station utilizing the first transceiver.
8. The game system of claim 1 further enabling players to talk on the phone while playing the game -Multi-access allows subscribers to communicate by voice while simultaneously using packet transmissions.
9. The game system of claim 1 further enabling players to create communities based on game activities.




Fig. 1




Fig. 2




Fig. 3

600




Fig. 4




Fig. 5

Document made available under the Patent Cooperation Treaty (PCT)

International application number: PCT/IL04/000841

International filing date: 14 September 2004 (14.09.2004)

Document type: Certified copy of priority document

Document details: Country/Office: US
Number: 60/502,939
Filing date: 16 September 2003 (16.09.2003)

Date of receipt at the International Bureau: 23 November 2004 (23.11.2004)

Remark: Priority document submitted or transmitted to the International Bureau in compliance with Rule 17.1(a) or (b)



World Intellectual Property Organization (WIPO) - Geneva, Switzerland
Organisation Mondiale de la Propriété Intellectuelle (OMPI) - Genève, Suisse

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☒ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☒ FADED TEXT OR DRAWING
- ☒ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☒ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.